



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,792	01/16/2004	Masaharu Ichikawa	P1296US	6499
1218	7590	03/23/2007	EXAMINER	
CASELLA & HESPOS 274 MADISON AVENUE NEW YORK, NY 10016			TRINH, MINH N	
			ART UNIT	PAPER NUMBER
			3729	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		03/23/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/758,792

Applicant(s)

ICHIKAWA ET AL.

Examiner

Minh Trinh

Art Unit

3729

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 December 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 and 19-22 is/are pending in the application.
- 4a) Of the above claim(s) 1-12 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 13-14 and 19-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. Applicants' amendment filed on 12/26/06 has been considered and made of record.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
4. Regarding claim 20 and 22, the phrase "rod like lock member" renders the claim(s) indefinite because the claim(s) include(s) elements not actually disclosed (those encompassed by "or the like"), thereby rendering the scope of the claim(s) unascertainable. See MPEP § 2173.05(d). It is suggested that the term "like" to be deleted.
5. Claims 13-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Kato (5,007,164).

Kato discloses a method for fitting cylindrical waterproof seal members over end portions of an electric wire comprising steps:

defining a seal cavity for receiving a cylindrical waterproof seal member at a predetermined fitting position on an axis line of an electric wire (see Figs. 4, 10 or 11, which shows seal cavity for housing a seal member 2);

Art Unit: 3729

feeding the seal member 2 by the compressed air into the seal cavity of the holder at the fitting position with such a posture as to receive the electric wire (see related embodiment of Figs. 1, 4 and the discussed at col. 3, about lines 20-23, col. 6, etc., for the teaching of compressed air for feeding the plug 2;

bringing the seal member to a locked state in the seal cavity in which the seal member is prevented from moving toward the electric wire (see various Figs. 4, 3-4);

inserting the electric wire into the seal member in the locked state (see Fig. 2);

and releasing the seal member from the locked state after the inserting step (see Fig. 6).

As applied to claim 14, noting Fig. 1 of the Kato shows the limitation of claim 14 where operating cylinders capable of performing the functions recited in claim 14.

As applied to claim 19, the Kato reference discloses the limitation of claim 19 where the feeding of the seal being opposite to the feeding of the wire.

Limitation of claim 21 apparently is met as the above discussion.

As applied to claims 20 and 22, regarding the using of a rod member having circular shape and its function associated therefrom, noting Fig. 5 of Kato shows the rod member 5 having the configuration and functions as required by claims 20 and 22.

Response to Arguments

6. Applicant's arguments with respect to claims 13-14 and newly claims 19-22 have been considered but are moot in view of the new ground(s) of rejection. Further, amendment to the claims raise new 112 issues see above.

7. This application contains claims 1-12 drawn to the nonelected inventions. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Interviews After Final

8. Applicants note that an interview after a final rejection will not be granted unless the intended purpose and content of the interview is presented briefly, in writing (the agenda of the interview must be in writing). Such an interview may be granted if the examiner is convinced that disposal or clarification for appeal may be accomplished with only nominal further consideration. Interviews merely to restate arguments of record or to discuss new limitations which would require more than nominal reconsideration or new search will be denied. See MPEP 714.13 and 713.09.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

It is noted that any amendment made to the disclosure and the claims. Applicant requires to point out the support provide numeral references to the claimed limitations as well as support in the disclosure (i.e., page and line numbers and reference number associated with from the drawings) for better clarity (See 37CFR 1.111 and section 2163.06 of the MPEP).

Art Unit: 3729

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh Trinh whose telephone number is (571) 272-4569. The examiner can normally be reached on Monday -Thursday 8:00 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on (571) 272-4690. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3729

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

mt

3/8/07


MINH TRINH
PRIMARY EXAMINER